1-1-2007

The scale of operation, profitability based productivity and capacity utilization in seaports, the case study based on the Colombo Seaport in Sri Lanka, 1980-2005

Sarath W.S.B Dasanayaka
Institute of Business Administration, Karachi, Pakistan

Follow this and additional works at: <https://ir.iba.edu.pk/businessreview>

Part of the [Operations and Supply Chain Management Commons](#)

This work is licensed under a [Creative Commons Attribution 4.0 International License](#).

Recommended Citation

Dasanayaka, S. W. (2007). The scale of operation, profitability based productivity and capacity utilization in seaports, the case study based on the Colombo Seaport in Sri Lanka, 1980-2005. *Business Review*, 2(1), 99-116. Retrieved from <https://doi.org/10.54784/1990-6587.1115>

This article is brought to you by *iRepository* for open access under the [Creative Commons Attribution 4.0 License](#) and is available at <https://ir.iba.edu.pk/businessreview/vol2/iss1/8>. For more information, please contact irepository@iba.edu.pk.

ARTICLE

The Scale of Operation, Profitability based Productivity and Capacity Utilization in Seaports, The Case Study based on the Colombo Seaport in Sri Lanka, 1980-2005

Sarath W.S.B. Dasanayaka

Institute of Business Administration, Karachi, Pakistan

ABSTRACT

The Sri Lanka (formerly Ceylon), an island nation, is strategically located in the South Asian main sea routes as a gateway to the Far-East, the Middle-East, Europe, Africa and Australia. This supreme strategic hub location created commendable achievements in seaports in different magnitudes over time. More specifically, after 1977 economic policy reforms, the Colombo seaport has earned the reputation as the best managed and the most efficient hub port in the South Asia and the major transshipment center in the Indian Ocean. This success further strengthened by the liberalization of shipping in 1990 which was the land mark of changing the fundamentals of the Sri Lankan shipping and ports related activities. In terms of future prospects of transshipment activities in South Asia, it can be estimated that, with the size of vessels growing in the main routes and economic booms in India and China, there will be a concentration of transshipment activities on a very limited number of strategically located hub ports equipped to cope with future generation of vessels requirements and ensuring excellent operation conditions. Therefore it is obvious that the Colombo's qualifications are deemed fit to become one of these major hub in the South Asia. In this context, the recent growth of the Colombo seaport is analyzed by using production function, profitability and capacity utilization approach to get more insights into the seaport operation and to find the possibilities for further expansion. This new approach may overcome the potential problems of port impact and cost benefits studies. First this study conclude that the analysis based on the Cobb-Douglas production function has shown that the operation of the Colombo seaport is an increasing return to scale during the recent past. The returns to scale depends to a larger extent upon changing demand for seaport services and corresponding development to cope with this demand. In view of the rapidly rising tonnage handled and the other services provided for ships and the related other business activities by the Colombo seaport after the 1977 policy reforms has reasonable evidences to find increasing returns to scale in our estimated models even with some what ambiguous data set. Second the profitability based productivity analysis shows the average profitability measures such as the marginal revenue product of labour (MRPI) is very high compared to the average wage rate paid for labour (W) and the marginal revenue product of capital (MRPk) is very high compared to the interest rate (r%) paid for the port development loans. Furthermore, the small fluctuation of the Lagrange multipliers in the estimated max-min model

indicates the sustainable nature of profitability of operations in the Colombo seaport. Finally the capacity utilization analysis shows that annual rate of increase of tonnage at the Colombo seaport has been positive and, the rate has increased at an increasing rate over time and it shows the high rate of actual to preferred capacity utilization which can be used as a basis to expand seaport facilities without creating the problem of overcapacity. This new approach can be use to any seaports in any parts of the world to see their scale of operation, profitability based on the productivity and capacity utilization aspects before major expansion in capacity.

1. INTRODUCTION

Sri Lanka, by virtue of its mid-way position in the Indian Ocean, has been throughout her history a famous meeting place of foreign merchants and travelers. Arab coasters, Greek and Roman galleys as well as Persian merchants visited the ancient harbours of the Sri Lanka to rendezvous with vessels from the East for trading purposes. Therefore, economic and cultural inter-changes, trade links, colonization, roots of industrialization, urban and commercial centers and most of the imports and exports based modern business activities have emerged through the seaports. At present, Sri Lanka has four major international seaports (Colombo, Galle, Trincomalee and Kankasanturai) however, Colombo (commercial capital city of the island) is the most developed one which handles over 90% of the country's sea-borne trade. After the 1977 economic policy reforms¹, the Colombo seaport has earned the reputation as the best managed and the most efficient hub port in the South Asia and the major transshipment centre in the Indian Ocean. This success further strengthened by the liberalization of shipping in 1990² which was the land mark of changing the fundamentals of the Sri Lankan maritime activities. In terms of future prospects of transshipment activities in South Asia, it can be estimated that, with the size of vessels growing in the main routes, there will be a concentration of transshipment activities on a very limited number of strategically located hub ports equipped to cope with future generation of vessels requirements and ensuring excellent working conditions. UNCTAD (1990) has more frankly emphasized that Colombo's qualifications are deemed fit to become one of these major hub in the South Asia. In this context, the recent growth of the Colombo seaport is analyzed by using production function, profitability and capacity utilization approaches to get more insights into the seaport operation and to find the possibilities for further expansion. This new approach may overcome the potential problems of expensive port impact and cost benefits studies³. First, this paper presents the scale of operation in three major seaports (Colombo, Galle and Trincomalee) and later more exclusively the situation of the Colombo seaport. Second, it presents the productivity based profitability analysis in the Colombo seaport. Third, the actual to preferred capacity utilization analysis in the Colombo seaport is presented. Finally, conclusions, notes and references are followed.

2. SCALE OF OPERATION ANALYSIS

The following conventional Cobb-Douglas production function is the main analytical tool of this section, which generally captures the basic ingredients of seaport operations and it is estimated by using E-views statistical package.

$$Q = A K^a L^b e^{t(T/L)}$$

Where

Q = output (gross port revenue, 1980 prices), K = capital inputs (capital employed book value, 1980 prices), L = labor inputs (wages and salaries paid, 1980 prices), a and b = capital and labor ratios, $e^{t(T/L)}$ = proxy for technological improvement: T = total tonnage handled, L = number of employees, (T/L) = tonnage per unit of labor.

This non-linear relationship can be linearize by using log transformation as follows:

Using properties of the logarithms

$$\ln(AB) = \ln A + \ln B$$

$$\ln(A^k) = k \ln A$$

$$\ln Q = \ln A + a \ln k + b \ln L + (T/L) \ln e^z + U$$

$$\text{Being } \ln e = \log_e e = 1$$

$$\ln Q = \ln A + \ln A + a \ln k + b \ln L + Z(T/L) + U$$

$$\text{where } A^* = \ln A$$

$$\ln Q = A^* + a \ln K + b \ln L + Z(T/L) + U \dots (1) \text{ Model with technology proxy}$$

$$\ln Q = A^* + a \ln K + b \ln L + U \dots \dots \dots (2) \text{ Model without technology proxy}$$

Estimation of the Production Function for Major Sri Lankan Seaports

$$\ln Q = A^* + a \ln K + b \ln L + Z(T/L) + U$$

Let,

$$\ln Q = Q,$$

$$A^* = C,$$

$$\ln K = k,$$

$$\ln L = L,$$

$$\ln T/L = RA$$

Estimation of results for all seaport with technological proxy

Dependent Variable: Q

Method: Least Squares

Date: 01/27/06 Time: 10:52

Sample(adjusted): 1981 2005

Included observations: 25 after adjusting endpoints

Convergence achieved after 6 iterations

Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	-1.221246	0.448871	-2.720704	0.0132
K	0.635830	0.102831	6.183270	0.0000
T/L	0.320493	0.137391	2.332703	0.0302
R	0.272534	0.085015	3.205699	0.0044
AR(1)	0.106261	0.084635	1.255520	0.2238
R-squared	0.994063	Mean dependent var		8.492891
Adjusted R-squared	0.992875	S.D. dependent var		1.034683
S.E. of regression	0.087335	Akaike info criterion		-1.861275
Sum squared resid	0.152548	Schwarz criterion		-1.617500
Log likelihood	28.26594	F-statistic		837.1502
Durbin-Watson stat	1.731050	Prob(F-statistic)		0.000000
Inverted AR Roots	.11			

$$\begin{aligned} \ln Q &= -1.2212 + 0.63583 \ln k + 0.32049 \ln L + 0.272534 (T/L) \\ \text{Se} &= (0.4488) \quad (0.1028) \quad (0.1374) \quad (0.085) \\ t &= (-2.721) \quad (6.1832) \quad (2.3327) \quad (3.2057) \end{aligned}$$

$n = 1980-2005$ (26), $R^2 = 0.994$, $\text{Adj } R^2 = 0.992$, $DW = 1.731$, $F = 837.1502$

Test the statistical significance

Using t test.

Let us postulate that,

$$H_0 : A^* = 0, a = 0, b = 0, Z = 0$$

$$H_i : A^* \neq 0, a \neq 0, b \neq 0, Z \neq 0$$

For example the null hypothesis (H_0) states that, holding, $A^* = b = z = \text{Constant}$, capital input (k) has no (linear) influence on output (gross port revenue). To test the null hypothesis, we use the “t” test.

$$t = \frac{\hat{A^*}}{\text{se}(A^*)} = \frac{\hat{a}}{\text{se}(a)} = \frac{\hat{b}}{\text{se}(b)} = \frac{\hat{z}}{\text{se}(z)}$$

According to our study calculated t values are **-2.721, 6.1832, 2.3327, 3.2057** for intercept a, b and z respectively.

Our critical t value is

For 5% level 2.080

In these calculations, partial coefficients including the intercept are significant at the 0.05 per cent level for the two-tail test, standard errors are very small.

Goodness of fit (R^2)

$R^2 = 0.994$

More than 99 per cent of the variation in seaport output is explained by the variation in explanatory variables.

Using F test

$H_0 : A^* = a = b = Z = 0$

$H_i : A^* \neq a \neq b \neq Z \neq 0$

Here calculated F value is **837.1502**

Critical F value from F table,

$F_{0.05(3, 21)} = \mathbf{3.05}$

Because $837.1502 > 4.71$ we can reject H_0 . That is the hypothesis that A^* , a , b , z are jointly different from zero. That is the F statistics is significant at the 0.05 per cent level

DW statistics

DW statistics is significant at 0.05 per cent level which indicates the absence of first order serial correlation

An Economic Interpretation

The partial slope coefficient of 0.63583 indicates the partial elasticity of the output with respect to capital. Specifically, this means that, if labor input are held constant and capital input increase by 1 per cent on average output will increase by 0.64 per cent. Likewise, if capital inputs are held constant, and if labor input increases by 1 per cent on average output increases by 0.32 per cent. If we add together the two output elasticity coefficients of factor input, we obtain an economically important parameter called the returns to scale parameter. Which gives the response of output to proportional change in inputs? The sum of two elasticity coefficient of capital and labor is 0.95632, suggesting that the Sri Lanka major seaports (Colombo Galle and Trincomalee) exhibit decreasing returns to scale doubling the input gives less than double the output. However, this tentative conclusion has been influenced by the technological proxy⁴, which explicitly assumed that all seaports have the same traffic structure and the same capital/labor ratios over time. Therefore this proxy has been dropped, in order to bring to the fore the direct relationship between inputs and outputs in major seaports in Sri Lanka. Dropping the proxy for technological developments gives the following results.

Estimation of results for all seaport without technological proxy

Dependent Variable: Q

Method: Least Squares

Date: 01/27/06 Time: 11:41

Sample(adjusted): 1982 2005

Included observations: 24 after adjusting endpoints

Convergence achieved after 7 iterations

Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	-1.609457	0.598987	-2.686966	0.0146
K	0.508069	0.143834	3.532334	0.0022
L	0.673986	0.125689	5.362350	0.0000
AR(1)	0.335557	0.221218	1.516860	0.1458
AR(2)	-0.093246	0.110143	-0.846585	0.4078
R-squared	0.990240	Mean dependent var	8.562052	
Adjusted R-squared	0.988185	S.D. dependent var	0.996161	
S.E. of regression	0.108278	Akaike info criterion	-1.425181	
Sum squared resid	0.222758	Schwarz criterion	-1.179753	
Log likelihood	22.10217	F-statistic	481.9344	
Durbin-Watson stat	2.095700	Prob(F-statistic)	0.000000	
Inverted AR Roots	.17+.26i	.17 -.26i		

$$\begin{array}{lcl} \ln Q & = & -1.6095 + 0.5081 \ln k + 0.6740 \ln L \\ \text{Se} & = & (2.6870) \quad (3.5323) \quad (5.3624) \\ t & = & (0.5990) \quad (0.1438) \quad (0.1257) \end{array}$$

$$R^2 = 0.990, \quad \text{Adj } R^2 = 0.988, \quad \text{DW} = 2.0957, \quad F = 481.9344$$

Statistically this result may be interpreted as follows. All partial coefficients, intercept, capital and labor are significant at the 0.05 per cent level. Standard errors are very small, the F statistics is significance at the 0.05 per cent level, and the variation of 99 per cent in seaport output is explained by the variation in explanatory variables. The DW statistics is significance at 0.05 per cent, which indicates the absence of first order serial correlation.

An Economic Interpretation

Economic interpretation of these results is as follows: The partial slope coefficient of 0.5081 indicates the partial elasticity of the output with respect to the capital input (k). This number indicates that, if the labor input is held constant, and capital input increases by 1 percent on average, seaport output will increase by 0.50 per cent. Likewise, if capital input is held constant, while labor inputs increases by 1 per cent on average, output will increase by 0.67 per cent. This interpretation contains an important policy message. That is labor and capital equally responsive to output of seaports in Sri Lanka. This is very much compatible with the factor endowments of the country. In order to further, substantiate an argument the possibilities of substituting labor for capital can be ascertained using the constant elasticity substitution (CES) production function or trans-log production function, which do not assume the unitary elasticity of substitution as does the Cobb-Douglas production function. However, this aspect is beyond the

limits of our analysis. Especially these aspects are suitable for the study, which deals with factor substitution and technical progress of seaports. The sum of the capital and labor elasticity coefficient is 1.182055, suggesting that Sri Lanka major seaport showed increasing returns to scale during the 1980 -2005 period. According to the results of these regressions, the productivity growth in the seaport was quite rapid. This rapid growth indicates that the demand for the seaport services has been increasing during the past two decades. Furthermore its indicates that there are more possibilities to expand seaport facilities and thereby reduce the seaport congestion, which has automatically been created by excess demand. However this rapid growth pertained mainly to the Colombo seaport rather than Galle or Trincomalee. To analyze the situation in Colombo Seaport these two functions only estimated for Colombo seaport.

Estimation of models for the Colombo Seaport

The first model makes estimates for the Colombo seaport using the OLS method. The results are as follows:

Estimation of results for Colombo seaport with technology proxy

Dependent Variable: Q
Method: Least Squares
Date: 01/28/06 Time: 10:36
Sample(adjusted): 1981 2005
Included observations: 25 after adjusting endpoints
Convergence achieved after 6 iterations

Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	-0.543388	0.594548	-0.913951	0.3716
K	0.563286	0.102305	5.505935	0.0000
L	0.292002	0.136377	2.141148	0.0448
RA	0.324115	0.097887	3.311104	0.0035
AR(1)	0.159057	0.116549	1.364725	0.1875
R-squared	0.994295	Mean dependent var		8.457416
Adjusted R-squared	0.993154	S.D. dependent var		1.041651
S.E. of regression	0.086185	Akaike info criterion		-1.887776
Sum squared resid	0.148558	Schwarz criterion		-1.644000
Log likelihood	28.59719	F-statistic		871.4530
Durbin-Watson stat	1.590013	Prob(F-statistic)		0.000000
Inverted AR Roots	.16			

$$\ln Q = -0.54339 + 0.56329 \ln k + 0.2920 \ln L + 0.32411 (T/L)$$

$$Se = (0.5945) \quad (0.1023) \quad (0.1364) \quad (0.0979)$$

$$t = (-0.9139) \quad (5.5059) \quad (2.1411) \quad (3.311)$$

$$n = 1980 - 2005 = 26, \quad R^2 = 0.994, \quad Adj R^2 = 0.992, \quad DW = 1.59, \quad F = 871.45$$

Statistically these results may be interpreted as follows: The partial coefficients excluding intercept are significant at 0.05 per cent, but intercept is at 0.1 percent significance. Standard errors are very small, more than 99 per cent of the variation in seaport output is explained by the variation in explanatory variables, the F statistics is significant at the 0.05 per cent level and the DW statistic is significant at 0.05 per cent level, which indicates the absence of positive first order serial correlation.

An Economic Interpretation

Economically these results may be interpreted as follows: if labor input are held constant, and if capital input increase by 1 per cent on average output will increase by 0.56 per cent. If capital input is held constant, and if labor input increase by 1 per cent on average, output increases by 0.29 per cent. The sum this capital and labor elasticity coefficient is 0.86 which suggests that the Colombo seaport has had decreasing returns to scale during the 1980-2005 period. However, the government invested heavily in the Colombo seaport, to cope with the increasing traffic, and this caused the rapid changes in the capital output ratios. Therefore, the second model drops the technological proxy, in order to ascertain the direct relationships between input and output in the Colombo seaport.

Estimation of results for Colombo seaport without technology proxy

Dependent Variable: Q
 Method: Least Squares
 Date: 01/28/06 Time: 11:04
 Sample(adjusted): 1982 2005
 Included observations: 24 after adjusting endpoints
 Convergence achieved after 6 iterations

Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	-1.574528	0.653040	-2.411075	0.0262
K	0.523844	0.149568	3.502370	0.0024
L	0.652038	0.128905	5.058286	0.0001
AR(1)	0.389901	0.218799	1.782002	0.0907
AR(2)	-0.098740	0.114279	-0.864025	0.3984
R-squared	0.990323	Mean dependent var		8.527170
Adjusted R-squared	0.988286	S.D. dependent var		1.002639
S.E. of regression	0.108517	Akaike info criterion		-1.420763
Sum squared resid	0.223744	Schwarz criterion		-1.175335
Log likelihood	22.04916	F-statistic		486.1117
Durbin-Watson stat	2.095957	Prob(F-statistic)		0.000000
Inverted AR Roots	.19+.25i	.19 -.25i		

$$\begin{array}{rclclcl} \ln Q & = & -1.5745 & + & 0.5238 \ln k & + & 0.6520 \ln L \\ t & = & (-2.4111) & & (3.5024) & & (5.0582) \\ Se & = & (0.6530) & & (0.1496) & & (0.1289) \end{array}$$

$$R^2 = 0.990, \quad \text{Adj } R^2 = 0.988, \quad DW = 2.0957, \quad F = 481.9344$$

Statistically these results may be interpreted as follows: Capital and labor partial coefficient is significant at the 0.05 per cent level. However, the intercept has 0.62 per cent probability of significance. Standard errors are very small and the F statistic is significant at the 0.05 per cent level. More than 88 per cent of the variation in output is explained by the variation in explanatory variables. The DW statistic is significant at the 0.05 per cent level, indicating the absence of first order serial correlation.

An Economic Interpretation

Economically these results may be interpreted as follows: If the labor input is held constant, and capital input increases by one per cent on average, output increases by 0.64 per cent. Likewise, if capital input is held constant, and labor input increase by one per cent on average, output increases by 0.41 per cent. The sum of labor and capital coefficient is 1.5, which suggests that Colombo seaport has shown increasing returns to scale in the recent past: doubling inputs more than double the output. Colombo seaport uses the inputs optimally, or operates more or less in the minimum area of the long-run cost curve which may be the minimum efficient scale. That is why any South Asian seaport can not compete with Colombo and it is the most competitive seaport in South Asian region.

3. PRODUCTIVITY BASED PROFITABILITY ANALYSIS IN THE COLOMBO SEAPORT

The following max-min model is used to show the sustainable nature of profitable operation in the Colombo seaport based on the productivity analysis during 1980-2005 period.

$$\begin{array}{l} \text{Maximize: } Q = wL + rK \\ \text{Subject to: } Q = AK^aL^b \end{array}$$

Where, Q = Gross revenue from port activities (1980 price), w = Average annual total earning per employee (1980 prices), K = Net assets (book values, 1980 prices), L = Number of employees, a and b = Capital and labour coefficients, r% = Rate of return on capital; $(Q-wL)/K$.

Solving this model by using the Lagrange multiplier:

$$\begin{array}{l} w = y_1 (b.Q/L) = y_1 \text{ MPPL in Rupee value} \\ r = y_2 (a.Q/K) = y_2 \text{ MPPK in per cent terms} \end{array}$$

Where y_1 and y_2 = Lagrange multipliers for labour and capital, MPPL = Marginal Physical Productivity of Labour ($APL \cdot b$), MPPK = Marginal Physical Productivity of Capital ($APK \cdot a$), APL = Average Productivity of Labour (Q/L), APK = Average Productivity of Capital (Q/K), MRPL = Marginal Revenue Product of Labour ($MP1 \cdot w$), MRPK = Marginal Revenue Product of Capital ($MPK \cdot r$ %).

Capital coefficient, $a = 0.575347$ and Labor coefficient, $b = 0.574628$ obtained through estimating function through E views which is presented in annexure table 1.

All calculation for this model is shown the following table 1.

Table 1. Profitability analysis for the Colombo seaport 1980-2005

Year	Wage rate (w/L)=w	MRPI = (MPI*w)	Y1 = (w/MRPI)	r% (Q-wL)/k	MPPk = (MPk*r%)	Y2 = (r/MPPk)
1980	16433	131,027	0.12541	2.4197	3.3686	0.71830
1981	16271	253,350	0.06422	2.8164	4.5639	0.61711
1982	16604	105,600	0.15724	2.4382	3.4203	0.71286
1983	16610	117,939	0.14084	8.3722	40.3293	0.20760
1984	16465	198,350	0.08301	9.5892	52.9058	0.18125
1985	16762	105,084	0.15951	6.2649	22.5822	0.27743
1986	16388	132,425	0.12375	5.5856	17.9503	0.31117
1987	16521	119,159	0.13864	3.9648	9.0442	0.43838
1988	17355	265,321	0.06541	3.1853	5.8377	0.54565
1989	18078	188,978	0.09566	2.4305	3.3988	0.71511
1990	18818	366,642	0.05133	2.1026	2.5437	0.82661
1991	19278	137,990	0.13970	1.8131	1.8914	0.95860
1992	19645	105,270	0.18661	2.2766	2.9820	0.76345
1993	20063	287,788	0.06971	7.5643	32.9206	0.22977
1994	20680	95,382	0.21681	6.4340	23.8177	0.27014
1995	21404	444,140	0.04819	6.0000	20.5554	0.29190
1996	20391	327,824	0.06220	9.5692	29.8775	0.32028
1997	18583	122,220	0.15204	4.2148	10.2130	0.41270
1998	18062	205,010	0.08810	2.5260	3.6711	0.68808
1999	18616	143,841	0.12942	2.1775	2.7279	0.79821
2000	18257	53,688	0.34006	3.9054	8.7753	0.44504
2001	18984	168,015	0.11299	9.8209	44.3433	0.22147
2002	19674	152,965	0.12862	1.1855	0.8087	1.46606
2003	26432	623,191	0.04241	3.2169	5.9539	0.54030
2004	26739	155,762	0.17167	4.8342	13.4457	0.35954
2005	26019	172,619	0.15073	3.1287	5.6319	0.55553
Mean	19197	199,215	0.12478	4.5322	14.3677	0.53356
S . D	3041	126,267	0.0637	2.6421	14.7839	0.2939

Source: Calculation is based on the unpublished data obtained from the Financial Division of the Sri Lanka Ports Authority.

Assuming that labor and capital coefficients remained constant during the sample period (1980-2005), the marginal productivities of labor and capital can be obtained by multiplying input coefficients with their respective average productivities. The Lagrange multiplier ($y_1.y_2$) measures the deviation of returns to input factors from their marginal productivities, which has been derived by dividing returns to input factors by their marginal productivities. An economically important two main profitability measures are well above the acceptable level. That is, the average marginal revenue product of seaport labor is well above the average wage rate paid for seaport labor [$w(19197) < MRPI(199215)$] and the average marginal revenue product of capital is well above the average interest rate paid for the port development loans [$r\%(4.53) < MRPk\% = (14.37)$]. The average interest rate on the government bonds during 1980 - 2004 period was 14.62 per cent well below the MRPk percentage (CBSL: 2004). However, the majority of port development loans was granted by concessionary development cooperation sources and thus did not have real commercial origins. Wages in Colombo seaport are mainly determined by the labor market and by trade unions exogenous to the labor productivity in the seaport, speed-up money collection is widespread among port labors, and this may be an indirect compensation for the low wages. Therefore, capital always yields a high profitability for investment without raising wages. The average Lagrange multiplier for labor (y_1) equals 0.12478 for capital (y_2) it equals 0.53356. This indicates the relative stability of returns to input factors from the marginal productivities over time. In accounting terms however the major share of the gross port profit in the Colombo seaport is paid to the Government as tax revenue and subsidize the losses in other major seaports, which are administered and managed by the Sri Lanka Ports Authority. Therefore, the Colombo seaport does not retain sufficient surplus to reinvest for future development. This may be the main reason that Colombo seaport continues to depend heavily on development co-operation sources. However, if the private sector can be encouraged participating in different areas in seaport operations, this dependency could be lessened.'

4. CAPACITY UTILIZATION ANALYSIS IN THE COLOMBO SEAPORT

Capacity utilization is the ideal measure to show the proportion of seaport productive capacity currently utilized from the available maximum port capacity⁵. This is a good indicator to determine the potential future expansion of seaport facilities without creating over capacity. Often, the excess demand for seaport services leads to an expansion of seaport facilities without prior proper assessment of the utilization of the available capacity. Particularly, in developing countries without proper assessment of the utilization of the existing capacities, development of new capacities are widespread practice due to many factors. These practices might waste scarce resources, which aggravate the existing economic problems by giving priorities for unnecessary expensive infrastructure. Before the expansion of the existing seaport facilities begins, it is preferable to carry out a capacity utilization analysis. The calculation of the ratios of capacity utilization in the Colombo seaport is based on the actual tonnage handled and the preferred tonnage. We assume that the preferred tonnage indicates the preferred level of capacity utilization (capacity output). Thus, the ratios of actual to preferred tonnage in the port of Colombo are derived in the following sequences. First, the port capacity function is specified as follows:

T = f (Time, H)

Where,

T = actual tonnage handle, H = dummy variable for peak tonnage.

After the trend line of the actual tonnage handled has been identified, the following function is specified.

$$T = a + b \text{ time} + c (\text{time})^2 + d H \text{ time}^2$$

Where,

$$\text{TIME}^2 = T^2$$

Has been introduced after the quadric behavior of actual tonnage over time has been identified. First, this function is calculated using the OLS method, and later first order auto-correlation is removed using the first order auto-regression [ar (1)].

Estimation of results of capacity utilization for Colombo seaport.

Dependent Variable: T

Method: Least Squares

Date: 01/28/06 Time: 12:18

Sample(adjusted): 1982 2005

Included observations: 24 after adjusting endpoints

Convergence achieved after 10 iterations

Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	-75385.18	141219.2	-0.533817	0.6000
TIME	50558.32	22851.55	2.212468	0.0401
T2	1410.399	836.8812	1.685303	0.1092
H	153954.2	93235.23	1.651245	0.1160
AR(1)	1.001232	0.221301	4.524308	0.0003
AR(2)	-0.522485	0.212620	-2.457368	0.0244
R-squared	0.989841	Mean dependent var		1073611.
Adjusted R-squared	0.987019	S.D. dependent var		720256.9
S.E. of regression	82060.51	Akaike info criterion		25.68062
Sum squared resid	1.21E+11	Schwarz criterion		25.97513
Log likelihood	-302.1674	F-statistic		350.7759
Durbin-Watson stat	2.328842	Prob(F-statistic)		0.000000
Inverted AR Roots	.50+.52i	.50 -.52i		

$$\begin{array}{lllll} T & = & -75385.18 & 50558.32 \text{ time} & 1410.399 (\text{time})^2 & 153954.2 H \\ t & = & (-0.533817) & (2.212468) & (1.685303) & (1.651245) \\ Se & = & (141219.2) & (22851.55) & (836.8812) & (93235.23) \end{array}$$

$$R^2 = 0.989, \text{ Adj } R^2 = 0.9870, \text{ DW} = 2.328842, \text{ F} = 350.7759, \text{ n} = 1980\text{-}2005 \text{ (26)}$$

In these calculations, partial coefficient of time variable is significant at the 0.05 per cent level, but other variables excluding intercept are significant at 10 per cent level for the two tail test, 98 per cent of the variation in preferred tonnage is explained by the variation in the explanatory variables, the F statistic is significant at 0.05 per cent and the DW statistic is significant at 0.05 per cent level, which indicates the absence of first order auto-correlation. This equation shows that annual rate of increase of tonnage in the port of Colombo has been positive, and that the rate has increased over time at an increasing rate:

$$\frac{dt}{d(\text{time})} = 50558.32 + 2820.798 \text{ time, and}$$

$$d^2 T/d^2(\text{time}) = 2820.798.$$

Based on the above regression equation, the preferred tonnage (PT) function can be specified as:

$$PT_i = -75385.18 + 50558.32 \text{ time} + 1410.399 (\text{time})^2 + 153954.2 H$$

Where,

i = from 1980 to 2005 and H = 1.

Following this definition, preferred tonnage for the 1980-2005 period is computed using the PT_i equation by plugging the time variable and H = 1 for every period into equation. This shows in the following table.

Table 2. The derived ratios of actual to preferred tonnage in Colombo seaport, 1980-2005

Year	Actual Tonnage(T)	Preferred Tonnage(PT)	Capacity Utilization(T/PT)%
1980	41625	-23416	neglect
1981	59471	31373	190
1982	106120	88983	119
1983	146590	149414	98
1984	187727	212666	88
1985	220207	278739	79
1986	348142	347633	100
1987	435618	419347	104
1988	628485	493882	127
1989	551810	571238	97
1990	595356	651415	91
1991	669488	734412	91
1992	675776	820230	82
1993	858398	908870	94
1994	972642	1000329	97
1995	1049044	1094610	96
1996	1356301	1191712	114

Year	Actual Tonnage(T)	Preferred Tonnage(PT)	Capacity Utilization(T/PT)%
1997	1687184	1445588	117
1998	1714077	1548331	111
1999	1704389	1653895	103
2000	1732855	1762280	98
2001	1726605	1873485	92
2002	1764694	1987511	89
2003	1959336	2104359	93
2004	2220525	2224026	100
2005	2455293	2346515	105
Average	994914	996824	92

Source: Calculation is based on the published data obtained from the Statistical Division of the Sri Lanka Ports Authority.

This table 2 shows that the average rate of capacity utilization was around 92 per cent in the Colombo seaport during 1980-2005. In some years, the capacity utilization was over 100 per cent, which indicates heavy congestion, long waiting queues for ships and avoidance of Colombo by ships, etc. Further, not all the ship calling at the port could be served efficiently, and the by pass rate is very high for the main lines. The main limitation of this capacity utilization analysis is that some peak tonnage marked off, as full capacity utilization peaks when in fact, there may have been considerable under utilization of seaport capacity. According to the latest estimation made by the Sri Lanka Ports Authority in 2006 Oct., the Colombo's container handling (3.3 million TEU) capacity will be saturated in year 2008. Therefore this may be the right time to speed-up the work of Colombo South harbor to accommodate emerging mega ships between two growth engines of the world: China and India. The present harbour basin within the port will not be able to accommodate vessels with a length of 400 metres. Approximately 30 percent of the ships coming on stream are 8000 TEU plus vessels having a draft of 15 to 16 metres which the present port cannot cater to. In the 1980s the average size of a ship was 975 TEUs with the largest being 3,057 TEUs. Today the average size of a ship is 2191 TEUs while the largest in the world fleet is 9200 TEUs. There are designs in place for the construction of Malacca Max with a capacity of 18100 TEUs and Samzung Suez Max with a capacity of 14 000 TEUs. If the Colombo seaport does not develop inline with world maritime development, mega container vessels then have no other option except to opt for modern ports such as Salala-Aiden, Port of Dubai, Tanjung Pelapase of Malaysia or the Port of Singapore. The close Indian ports such Chennai is also developing fast and it would become a hub in the region in the near future, if Colombo do not act promptly to utilize its supreme hub location.

5. CONCLUSIONS AND POLICY REMARKS

The main contents of this analysis may be finalized in the following form of conclusions.

The analysis based on the Cobb-Douglas production function has shown that the operation of the Colombo seaport increasing return to scale during the recent past. The returns to scale depend to a larger extent upon changing demand for seaport services and corresponding development to cope with this demand. In view of the rapidly rising tonnage handled in many types of cargo such as container, bulk, break-bulk and liquid and the other maritime services provided for ships and the related other business activities by the Colombo seaport after the 1977 policy reforms has reasonable evidences to find increasing returns to scale in our estimated models even with some what ambiguous data set.

The analysis of the section 2 is elaborated the profitable operation of the Colombo seaport based on the productivity analysis. The average profitability measures such as $W < MRPI$ and $r\% < MRPk\%$ are well above the acceptable limits. The sustainable nature of profitable operation are well above the acceptable limits. This sustainable nature of profitable operation well elaborates with little fluctuation of Lagrange multipliers over time.

The capacity utilization analysis shows the annual rate of increase of tonnage at the Colombo seaport has been positive and, the rate has increased at an increasing rate over time and finally, it shows the high rate of actual to preferred capacity utilization which can be used as a basis to expand seaport facilities without creating the problem of overcapacity. This expansion can be within Colombo seaport itself or any other new port in Sri Lanka.

Notes

¹ This economic policy reforms mainly included: Liberalization of most of imports and exchange payments. Abolition of most price controls while keeping a system of administered prices for certain products of importance in the society's consumption pattern and grant of greater autonomy to public corporations for more realistic pricing policies in order to help them to achieve commercial viability. Attempts to reduce budgetary expenditure on account of food subsidies by introducing a system of 'food stamps' whereby stamps of a given value were issued to low income families and market forces were allowed generally to determine the prices of commodities purchasable with these stamps (safety net with market forces). Promotion of private enterprises, including direct foreign investment through a wide array of fiscal, infrastructural and other incentives. Restraint in granting wage demands in general and those within the public sector in particular along with repressive measures on the trade union movements. An appearance of restrictiveness in monetary measures marked by unprecedented high interest rates and intermittent credit squeezes imposed on commercial bank lending. Apart from short periods of these credit squeezes, however, private and public sectors do not seem to have encountered much difficulty in obtaining the required bank credit. In that respect, easy money conditions have been maintained. Sharp increases in government capital expenditure, particularly on infrastructure and housing project, despite the fact that this necessitated the running of large budget deficits, even if they had to be bridged through inflationary finance. Search for increasing volumes of

foreign aids, loans and grants. Sharp (Mono) devaluation of currency. Measures to promote economic activities earning foreign exchange (export-oriented industry, export crops, tourism, labour migration for foreign jobs etc.). Hence the claim of the proponents of the 'open economy' that their strategy is one of 'export-led growth'.

² The major changes introduced under the liberalization of shipping are: from Central Freight Bureau (CFB) regulations to liberalization, from a pivot of cargo monopoly to ship owner competition, from national line priority to foreign line precedence, from CFB negotiated rates to free market prices, from a lean sailing regime to prolific service oriented regime, from dominance of the CFB to the resurrection of the Ceylon Association of Steamer Agents (CASA) and shipping Council, from a Central Freight Booking Office to primacy of Colombo hub port, and promotion of private foreign and local investment to different areas in the maritime industry. From 1990 onwards this maritime sector liberalization continued by all the successive political regimes.

³ The theoretical defects and abuse of studies of port impact and cost/benefits are very much controversial issues in seaport literature. For details see Waters (1977); Chang (1978ab), and Peter and Rose (1995). Port impact and cost/benefits studies are different from the studies of port performance and efficiency. Seaport performance and efficiency are mainly related with stevedores (equipments and labour related), shipping lines (turn around time) and port itself (facility utilization and throughput). The most important determinants of the seaport performance and efficiency are explained by Tongzon (1995). However, the most acceptable single seaport performance indicators is shadow price based port throughput per profit unit.

⁴ Generally, technological change measures by introducing time variable to general production function. Our first model is using per-capita tonnage as proxy for the technological changes which in-line with the assumption of the labour-augmenting Harrod's neutral technological progress because capital-output ratio of Sri Lanka's seaports showed a relatively stable picture during 1980-93 periods. In our model, Harrod and Hicks neutral assumptions on technological progress are equivalent because elasticity of substitution is unitary even returns to scale is not unitary. It is generally believed that the Cobb-Douglas production function is embodied with the technological progress therefore a separate proxy is not necessary. For given values of K and L, the magnitude of A (intercept) will proportionately affect the level of Q. Hence A may be considered as an efficiency parameter, i.e., as an indicator of the state of technology. Therefore, included technological proxy has dropped from our model because of this reality.

⁵ Capacity output and capacity utilization are very difficult to measure in seaports. The most popular capacity utilization measures are Wharton school index based on Klien and Preston method (1996) and Tally method (1998, 1994). The Wharton school index is constructed by making off cyclical peaks of production and then computing ratios of actual to the linear trend line fitted through these peaks. This method assumes that cyclical peaks represent the full capacity utilization. Tally method measures full capacity utilization in engineering point of view. Two types of engineering optimum

outputs were introduced. First, the theoretical optimum engineering output which is the maximum (designed) throughput of a port when it is operating at its maximum rate of efficiency. Second, the optimum empirical engineering output which is the estimated maximum throughput based upon actual port data. However, most of the seaport capacity utilization studies were used 'actual' and 'preferred' capacity utilization rather than 'full' capacity utilization.

REFERENCES

- Chang, S. (1978a). Production function, productivities and capacity utilization of the port of Mobile', *Maritime Policy and Management*, 5, 297-305.
- Chang, S. (1978b). In defense of port impact studies', *Transportation Journal*, Spring 1978, 79-85.
- Central Bank of Sri Lanka (CBSL) (2005). Annual Report, Sri Lanka.
- Containerization International Year Book: 2003, National Magazine Company, UK.
- Dharmasena, K. (1980). The port of Colombo: 1860-1939, Published Ph.D. thesis submitted to University of London, 1970.
- Douglas, W., Laurits, R., and Joseph, A. (1981). Productivity growth, scale of economics and capacity utilization in U.S. rail roads -1955-74, *American Economic Review*, Vol. 71, pp. 994-1002.
- ECAFE (1966/67). The ports of Ceylon Report by the port team of the United Nation Economic Commission for Asia and Far East, Nov. 1960 and March 1967, mimeo.
- Klein, R., and Preston, R. (1967). The measurement of capacity utilization, *American Economic Review*, March, 34-58.
- Markarov, L., Levin, J., and Rubinov, M. (1995). *Mathematical Economic Theory, Pure and Mixed Types of Economic Mechanisms*, Advanced text books in economics, 33, Elsevier publication.
- Peter, G., and Rose, G. (1995). The impact of a port on its local economy: the case of Plymouth, *Maritime Policy and Management*, Vol. 22, No. 1, pp. 13-23.
- Sri Lanka Ports Authority (SLPA) (1979/2005). Port statistics Series, Statistical Division, Colombo seaport.
- Sri Lanka Ports Authority (SLPA) (1980/2005). Annual Accounts, Financial Division, unpublished series.

Tally, W. (1988). Optimum throughput and performance evaluation of marine terminals, *Maritime Policy and Management*, Vol. 15, No. 4, 327-331.

Tally, W. (1994). Performance indicators and port performance evaluation, *Transportation Review*, Vol. 30, No. 4, 339-351.

Tongzon, L. (1995). Determinants of port performance and efficiency, *Transportation Research*, Vol. 29A, No. 3, 245-252.

UNCTAD (1995). The establishment of Transshipment Facilities in Developing Countries, TD/B/C.4/AC.7/10.

UNCTAD (1994). Review of Maritime Transport -1993.

Waters, C. (1977). Port economic impact studies: Practice and assessment, *Transportation Journal*, Spring 1977, 14-18.

Yes, leadership is about vision. But leadership is equally about creating a climate where the truth is heard and the brutal facts confronted. There's a huge difference between the opportunity to "have your say" and the opportunity to be heard. The good-to-great leaders understood this distinction, creating a culture wherein people had a tremendous opportunity to be heard, and ultimately, for the truth to be heard.
Jim Collins